

014621 GPS Antennas - Single Band Antennas - HAG-100-GM -

仕様

Model	HAG-100-GM
ANTENNA ELEMENT	
Center Frequency	1575.42 MHz \pm 1.023 MHz
Polarization	R.H.C.P.
Gain @ Zenith	+4dBi typical
Axial Ratio	3dB max
Impedance	50 Ω
LOW NOISE AMPLIFIRE	
Frequency	1575.42 MHz \pm 1.023 MHz
VSWR	Less than 2.0
Polarization	RHCP
Impedance	50 Ω
LNA Gain	26 \pm 2dB
Noise Figure	2.0dB (max)
Band Attenuation	20dB min @Fo \pm 50 MHz
Axial Ratio	3dB max
Voltage	DC +3V/DC +5V (\pm 10%)
Current	20mA (max)
MECHANICAL	
Weight	100g
Height	15.5 mm
Width	42 x 42 mm
Cable	RG-174 5m, 1.5D2v 5m Other Types(Optional)
Connector	SMA Other Types(Optional)
Mounting	Tape
ENVIROMENTAL	
Operating Temp	-30 $^{\circ}$ C ~ +80 $^{\circ}$ C
Storage Temp.	-40 $^{\circ}$ C ~ +90 $^{\circ}$ C
APPLICATION: Car Navigation	

製品写真



寸法図

