

014626 GPS Antennas - Single Band Antennas - HAG-S25-3V -

仕様

Model	HAG-S25-3V
ANTENNA ELEMENT	
Center Frequency	1575.42 MHz \pm 1.023 MHz
Polarization	R.H.C.P.
Gain @ Zenith	+2 dBi typical
Axial Ratio	3dB typical 6dB max
Impedance	50 Ω
LOW NOISE AMPLIFIER	
Frequency	1575.42 MHz \pm 1.023 MHz
VSWR	Less than 2.0
Impedance	50 Ω
LNA Gain	26dB \pm 2dB
Noise Figure	2.0dB (max)
Band Attenuation	18dB min @Fo \pm 50 MHz
Voltage	DC +3V (\pm 0.3V)
Current	20mA (max)
MECHANICAL	
Height	13.5 mm
Width	35.5 x 43.5 mm
Cable	RG-174 , 1.5D-2V
Connector	SMA Other Types(Optional)
Mounting	Magnetic
ENVIRONMENTAL	
Operating Temp.	-30 $^{\circ}$ C \sim +80 $^{\circ}$ C
Storage Temp.	-40 $^{\circ}$ C \sim +90 $^{\circ}$ C
APPLICATION: Car Navigation	

製品写真



寸法図

